# Featherlite Inc.

**Quote:** 25005
**Printed:** 10/20/2026

**Quote Prepared For**

TC165929

**Featherlite Customer Service**

Featherlite, Inc.
P.O. Box 320
Hwy. 63 & 9
Cresco IA 52136

Bus. 563-547-6000
800 800-800-1230
Fax 563-547-6100

**Internet Web** www.fthr.com

**Bill To Dealer**

010086
Featherlite Inc
PO Box 320
Cresco, IA 52136

Bus. (563)547-6000
Fax (563)547-6090

**Email** dberg@fthr.com

**Ship To Dealer**

010086
Featherlite Inc
PO Box 320
Cresco, IA 52136

Bus. (563)547-6000
Fax (563)547-6090

**Email** dberg@fthr.com

**Sales Person** Melissa S Norby

Thank you for your business!

Bus. (563)547-6080
800 (800)800-1230
Fax (563)547-6100

**Email:** mnorby@fthr.com

**Entered** 08/20/2026 **ShipVIA**
**Revised** 10/20/2026 **FOB**
**Est.Comp** **Terms**
**Quote Valid for** 25 **Days**

| Qty | Trailer No. | Description | Price Each | ItemTotal |
|---|---|---|---|---|
| 1 | 4953-0024 | 4953 24' enclosed car trailer | 174,734.00 | 174,734.00 |

| Part No. | Description | Qty | U/M | Price Per | Extended | Action Cde |
|---|---|---|---|---|---|---|
| 49530024B | 4953 24' enclosed car trailer | 1 | EA | | | |
| P4912 | 4953 enclosed car trailer 8'6" wide X 11' tall X 24' long | 1 | EA | | | |
| F1563 | Triple axle 6.0K rubber torsion (12T). Includes (6) GY tire/rim LT235/85R16 LRG & 8 hole silver aluminum wheel. (Includes conspicuity tape) (To add a spare use code 95323) | 1 | EA | | | * Removed |
| F1860 | Axle lube type - easy lube | 1 | EA | | | |
| F8470 | Scale for hitch | 1 | EA | | | |
| F9010 | Coupler 2 5/16" 25K (Drag trailers with 8" tongue tubes) | 1 | EA | | | |
| F6248 | Jack stabilizer pin type (aluminum) mounted on rear behind sub frame (Per pair) | 1 | EA | | | |
| F8036 | Single cylinder hydraulic landing leg | 1 | EA | | | |
| F1700 | Electric brake | 1 | EA | | | |
| F7305 | Lights marker H3-45 (not available in clear lenses) | 8 | EA | | | |
| F7308 | Plug 7-way SEMI | 1 | EA | | | |



**Continued…**

| | | | | | | |
|---|---|---|---|---|---|---|
| F7309 | Light dock LED, surface mount, 8" X4" oval, 12 volts DC, 0.6 amps, 7.2 watts, 60 degree spot from mounting surface, 660 lumens (maximum 13 lights per 10 amp circuit) (maximum 20 lights per 15 amp circuit) (maximum 26 lights per 20 amp circuit) | 6 | EA | | | |
| F7313 | Disconnect switch for batteries | 1 | EA | | | |
| F7523 | Light package for drag trailers with colored LED lenses (Includes (16) 3/4" round clearance lights, 4 stop & 2 turn lights) | 1 | EA | | | |
| F8104 | Floor smooth extruded aluminum | 24 | FT | | | |
| F3354 | Rear ramp 8'0" high solid above by full width 2" thick with pressure latches, cable assist and treadplate and vinyl hinge covers | 1 | EA | | | |
| F2562 | Side ramp 58" wide with 24" x 82" double seal door, Furgo Car handles and vinyl hinge cover | 1 | EA | | | * Removed |
| F7413 | Battery package with recharge leads | 1 | EA | | | |
| F6322 | Beaver tail (If deleted, rear opening height will be reduced) | 1 | EA | | | |
| F3960 | Sheet white | 1 | EA | | | |
| F4901 | Side sheets .063 aluminum taped with riveted seams per foot of wall. | 56 | EA | | | |
| F1100 | Not framed for ac/vent | 1 | EA | | | |
| F2460 | Camera: IR/Color; triple external/internal with 7" monitor shipped loose | 1 | EA | | | |
| F5243 | Wheel chock shipped loose | 2 | EA | | | * Removed |
| F6251 | Skid plate | 1 | EA | | | |
| F6258 | Tie down recessed swivel D-ring stainless steel 6000 lb capacity | 4 | EA | | | |
| F7270 | Mezzanine deck with .125 aluminum tread plate floor (54" clearance) | 9 | FT | | | |
| F7271 | Flip up door on mezzanine deck | 1 | EA | | | * Removed |
| F7953 | Lift cable single cylinder motorcycle fully lined. (Not designed for automobiles) 14' 4000 lb capacity. Includes power unit and folding rear aluminum extension. | 1 | EA | | | * Removed |
| F8176 | Step camper slide out aluminum | 1 | EA | | | |
| F2477 | Track airliner round aluminum welded to raw aluminum floor per foot (fastened to lift) | 165 | FT | | | |
| | **Subtotal of Standard Options . . . . . .** | | | | **120,556.00** | |
| B1559S | Triple axle 6.0K rubber torsion (12T). Includes (6) GY tire/rim LT235/85R16 LRG & 8 hole silver aluminum wheel. (Includes conspicuity tape) (To add a spare use code 95323) | 1 | EA | 15,126.00 | 15,126.00 | * Added |
| 95323 | Tire/rim GY LT235/85R16 LRG 8 hole silver aluminum | 2 | EA | 1,032.00 | 2,064.00 | * Added |
| 93489C | Door camper 42" HD 2" double sealed on curbside | 1 | EA | 3,383.00 | 3,383.00 | * Added |



**Continued…**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 94355S | Ramp side 58" with 24" x 82" HD double seal door with furgo car handles (for 7'6" trailer and over)(streetside)(on 7'6" high trailers the door is only 5'5" tall- not very usable) | | 1 | EA | 9,442.00 | 9,442.00 | * Added |
| 94391 | Winch bracket (raises winch 10", mounting area of approximately 9" x 14 1/2")<br>MOUNTED TO WALL BEHIND JACK | | 1 | EA | 799.00 | 799.00 | * Added |
| 96258 | Tie down recessed swivel D-ring stainless steel 6000 lb capacity | | 4 | EA | 149.00 | 596.00 | * Added |
| 97960 | Lift cable single cylinder automotive 14' 4000 lb capacity includes power unit & removable rear aluminum extension (Must add battery pkg) | | 1 | EA | 23,948.00 | 23,948.00 | * Added |
| 98176 | Step camper slide out aluminum | | 2 | EA | 789.00 | 1,578.00 | * Added |
| CUSTOM01 | SHORTEN MEZZANINE BY 12" TO ACCOMODATE FRONT OF CAR | * | 1 | EA | -357.00 | -357.00 | * Added |
| CUSTOM02 | ADD OPTIONAL ALUMINUM RAMPS TO REAR WITH BEAVERTAIL | * | 1 | EA | 1,607.00 | 1,607.00 | * Added |
| CUSTOM03 | MAKE TRAILER OVERALL HEIGHT 13.5' TO MAXIMIZE INTERIOR CAR HEIGHTS OF 63" | * | 1 | EA | 1,072.00 | 1,072.00 | * Added |
| CUSTOM04 | MAKE WINCH MOUNT REMOVABLE | * | 1 | EA | 72.00 | 72.00 | * Added |
| CUSTOM05 | CREDIT FOR REMOVING F2477 (TRACK AIRLINER ROUND ALUMINUM WELDED TO RAW ALUMINUM FLOOR PER FOOT - FASTENED TO LIFT) | * | 112 | EA | -46.00 | -5,152.00 | * Added |

| Qty | Trailer No. | Description | Price Each | ItemTotal |
|---|---|---|---|---|
| 1 | L953-0000 | 4953 24' enclosed car trailer | 34,988.00 | 34,988.00 |

| Part No. | Description | Qty | U/M | Price Per | Extended | Action Cde |
|---|---|---|---|---|---|---|
| L9530000B | 4953 24' enclosed car trailer | 1 | EA | | | |
| F8093 | Carrier spare tire for bumper pulls mounted street side up high (Change to code 98092 if a different location is desired) | 1 | EA | | | |
| F2293 | Switch 110V | 6 | EA | | | |
| F7341 | Light fluorescent surface wall mount 48" long x 7 5/8" high x 3 1/2" deep, 120 volts, 0.5 amps, double T-8 32 watt bulbs, 5400 lumens avg. (24 lights per 15 amp circuit) | 2 | EA | | | * Removed |
| F7344 | Light fluorescent surface white 48" long x 2-5/8" x 4-1/4", 120 volts, 0.26 amps, single T-8 32 watt bulb, 2700 lumbens avg. (46 lights per 15 amp circuit) | 1 | EA | | | * Removed |
| F7392 | Light LED 12V/20W strip 1" x .25" x 24" white 6000K | 12 | EA | | | |
| F7202 | Ladder folding | 1 | EA | | | * Removed |
| F2362 | Insulation 3/4"R-3.6 135C per linear foot for walls | 84 | EA | | | |
| F2363 | Insulation 3/4"R-3.6 135C per linear foot for ceiling | 24 | EA | | | |



Continued…

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| F3112 | Line white aluminum .040 on walls or ceiling if only ceiling is being lined (taped with limited fasteners) per linear foot | | 84 | FT | | | |
| F3113 | Line white aluminum .040 on ceiling with coping (Taped with limited fasteners) Per linear foot | | 24 | FT | | | |
| F2269 | Power source heavy duty includes 45 amp power converter, fuse panel, marine battery & battery box. Typically used in addition to a motorbase with cord. Can be surface mounted directly to wall or inside a cabinet. | | 1 | EA | | | |
| F2287 | Motor base 30 amp inlet, (120V) 6 space panel box with 36' cord | | 1 | EA | | | |
| F2290 | Receptacle duplex (20 amp) 110V | | 3 | EA | | | |
| F2539 | Overhead storage cabinet (white aluminum with white laminate doors) at rear above ramp 12" deep x 24" tall | | 8.5 | FT | | | |
| F2564 | Storage/wardrobe cabinets (white aluminum with white laminate doors) at front of trailer | | 1 | EA | | | |
| F2565 | Engine compartment with 2 white laminate doors & 3 24" wide drawers under storage/wardrobe compartment | | 1 | EA | | | |
| F8452 | Cargo poles | | 2 | EA | | | * Removed |
| F9890 | Track airliner aluminum on sidewall per foot (Includes 1/4 x 4 aluminum backer plate over lining) | | 10 | FT | | | * Removed |
| F2478 | Tie-down ring for airliner track oval double stud | | 12 | EA | | | * Removed |
| F4016 | Track A steel vertical on wall fastened to side posts per foot | | 8 | FT | | | * Removed |
| | **Subtotal of Standard Options . . . . . .** | | | | | **30,010.00** | |
| CUSTOM02 | Code 90103 Light LED surface white 47.72" x 11.85" 120V<br>Under mezzanine, one each side wall. | * | 3 | EA | 440.00 | 1,320.00 | * Added |
| CUSTOM03 | Code 93803 Base cabinet per foot.<br>UPPER DECK FOR BATTERY, PANEL BOX, AND CONVERTOR. | * | 3 | EA | 548.00 | 1,644.00 | * Added |
| CUSTOM04 | 97492 - 12V ROCKER SWITCH | * | 3 | EA | 120.00 | 360.00 | * Added |
| CUSTOM05 | ADD LINE 14' AUTO LIFT TOP WITH .125 TREADPLATE | * | 1 | EA | 2,136.00 | 2,136.00 | * Added |
| CUSTOM06 | ADD LADDER TO SIDE WALL BETWEEN LIFT PLATFORM AND UPPER DECK | * | 1 | EA | 422.00 | 422.00 | * Added |
| CUSTOM07 | CREDIT FOR REMOVING F2293 (SWITCH 110V) | * | 4 | EA | -226.00 | -904.00 | * Added |



**Continued…**

| | |
|---|---|
| **Items Sub Total** | **209,722.00** |

**Accepted this _____Day of _____, _____**

**Signature _____ Date _____**

Above prices subject to change without notice.

Quoted with Software Version: 4.15 Price Book Date: 6/30/2026

| | |
|---|---|
| **Quote Total** | **209,722.00** |